



OPLØFT.®

Set-up Guide



www.posturite.co.uk

Patent pending
Protected by Registered Design Right
EU Trade Mark Application No 7894990

Technical Data

Product dimensions (flat) WxDxH	780 x 600 x 30 mm	30 x 23 x 1 ins
Lift range (top surface)	30-420 mm	1-16.5 ins
Minimum desktop/table surface required (WxD)	800 x 620 mm	32 x 25 ins
Top surface forward protrusion when fully raised	180 mm	7 ins
Net weight	12 kg	26 lbs
Maximum weight capacity	12 kg	26 lbs
Height adjustment levels	14	14



⚠ CAUTION



Do not exceed the maximum weight capacity (12kg /26lbs).

Refrain from loading too much weight on the back edge of the Opløft, particularly when using a dual monitor arm. Pull your screen(s) forward slightly from the back edge of your platform to keep excessive weight evenly distributed.



Take care not to trap hands, fingers and cables between the supporting bars when raising and lowering.


Operation

Carefully remove the Opløft from the packaging and place on a suitable desk/table surface.



TO RAISE

Grip sides and simultaneously push out both handles with thumbs. Slowly lift to raise the surface and release handles once at desired height.



TO LOWER

Grip sides and simultaneously push out both handles with thumbs. Apply a forward and downward pressure to the surface and release handles when you reach the desired height.



TO CLOSE FULLY

At the lowest position while maintaining a downward force, release side handles to securely close. If needed, push down to the middle of the platform until a secure click is heard.



Other ergonomic office products available



Opløft Monitor Arm

Single and Dual monitor arms



MoovRite

Rocking standing platform



Anti-Fatigue Mat

Extra support and combats fatigue



Penguin

Ambidextrous Vertical Mouse



Number Slide Keyboard

with retractable number pad



Slim Cool Laptop Stand

Ultra slim portable laptop stand

www.posturite.co.uk